

ALISRA®

ALISRA OTOMOTİV TALAŞLI İMALAT İTH. İHR. SAN. VE TİC. LTD. ŞTİ.



   ALISRA OTOMOTİV TALAŞLI İMALAT
info@alisra.com.tr - info@alisraotomotiv.com

 Fevzi Çakmak Mah. Kobisan 3 San. Sit.

Sıla Cad. No:73/AC **Karatay/KONYA/TÜRKİYE**

 +90 332 248 15 10

 +90 332 248 46 17





HIZLI VE KALİTELİ ÜRETİMDE GÜVENİLİR ÇÖZÜM
RELIABLE SOLUTION FOR FAST AND HIGH QUALITY PRODUCTION

**KALİPER PERNO - DORSE/DİNGİL
YEDEK PARÇALARI KATALOĞU**
GUIDE PIN - TRAILER/AXLE
SPARE PARTS CATALOG

KISA TANITIM

SHORT INTRODUCTION

Alisra Otomotiv Talaşlı İmalat İth. İhr. San. Ve Tic. Ltd. Şti. 1989 yılında 50 metrekare alan ve 1 mekanik torna tezgahı ile üretime başlayarak o yılların zor şartlarında üretimde süreklilik ve kaliteden ödün vermeden hedeflenen yolda emin adımlarla yürümeyi ilke edindi. Son gelinen noktada 1000 metrekare alanda çeşitli CNC Torna Tezgahları, Otomatik ve Mekanik Torna Tezgahları, Kollu Robot ve üretim için gerekli tüm ekipmanlarla birlikte alanında uzman personellerle çeşitli alanlarda istihdam ve kariyer gelişimlerine imkan sağlayarak faaliyetlerine devam etmektedir.

Alisra Automotive Machining Import. Export. Industry and Trade Co. Ltd. Co. started production in 1989 in a 50 square meter area and a mechanical lathe, adopting the principle of taking the desired path with sure steps without compromising on the continuity and quality of production under the difficult conditions of those years.

To date, the company continues its activities by providing employment and career development opportunities in various fields with professional personnel in a 1000 square meter area with various CNC lathes, automatic and mechanical lathes, arm robots and all equipment necessary for production.

ÜRÜN GRUPLARI

PRODUCT GROUPS

ÜRÜNLER

- Otomotiv Fren Kaliperleri Yedek Parçaları
- Tarım İlaçlama Makineleri Yedek Parçaları
- İş ve İnşaat Makineleri Yedek Parçaları
- Talaşlı İmalatta Fason Yedek Parçalar
- CNC Otomat Revolver Fason Parçalar
- Yağmurlama Ek Metal Yedek Parçaları
- Siparişe Özel Yedek Parçalar

CNC TURNING SERVICES FOR BRANCHES

- Automotive Industry Spare Parts
- Agricultural Machinery Spare Parts
- Construction Machinery Spare Parts
- Crane and Lifting Technology
- Mechanical and Plant Engineering
- Logistics and Warehouse Technology
- And many more

MALZEMELER

- Çelik
- Krom
- Sarı
- Alüminyum
- Derlin
- Pirinç

MATERIALS

- Carbon Steels
- Tempered Steels
- Case-hardening Steels
- Rust and Acid Resistant Steels
- Free Cutting Steels
- Aluminium
- Bronze
- Brass
- Yellow Metal
- PVC, PE, PP, POM
- PA, PTFE

1500 - Perno - Ø32 x 88,5 mm

KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,310 gr

1501- Perno - Ø32 x 80 mm

KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,300 gr

1502- Perno - Ø34 x 80 mm

KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,375 gr

1503 - Perno - Ø34 x 120 mm

KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,580 gr

1504 - Perno - Ø36 x 64 mm

KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,335 gr

1505 - Perno - Ø36 x 113,70 mm

KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,570 gr

1506 - Perno - Ø36 x 135 mm

KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,770 gr

1507 - Perno - Ø36 x 145 mm

KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,835 gr

1508 - Perno - Ø29,70 x 71,50 mm
KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,215 gr

1509 - Perno - Ø30 x 99 mm
KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,325 gr

1510 - Perno - Ø32 x 84 mm
KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,300 gr

1519 - Perno - Ø36 x 103 mm
KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,520 gr

1530 - Perno - Ø36 x 113,70 mm
KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,495 gr

1633 Perno Ø45 x 150 mm
KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 1,360 gr

1634 - Perno - Ø23,5 x 92 mm
KNORR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,165 gr

2501 - Perno - Ø31 x 83,5 mm
MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,295 gr

2502 - Perno - Ø32 x 72,70 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,290 gr

2503 - Perno - Ø32 x 117 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,420 gr

2504 - Perno - Ø35 x 60 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,220 gr

2505 - Perno - Ø35 x 72,50 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,350 gr

2506 - Perno - Ø35 x 79 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,340 gr

2507 - Perno - Ø35 x 102 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,420 gr

2508 - Perno - Ø35 x 132 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,585 gr

2509 - Perno - Ø35 x 135 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,645 gr

2510 - Perno - Ø35 x 144 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,740 gr

2511 - Perno (Civata ile) -

Ø28,50 x 84,50/110 mm

MERITOR TYPE Guide Pin (with Bolt)



Ürün Ağırlığı/Product Weight = 0,500 gr

2512 - Perno - Ø32 x 97/37 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,340 gr

2513 - Perno - Ø30,90 x 77,5 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,270 gr

2514 - Perno Ø35 x 117 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,595 gr

2515 - Perno - Ø35/33 x 66,50 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,225 gr

2516 - Perno - Ø35 x 128 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,545 gr

2517 - Perno - Ø31 x 117 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,420 gr

2518 - Perno - Ø35 x 117 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,600 gr

2519 - Perno - Ø32 x 97/62,5 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,285 gr

2520 - Perno - Ø30 x 115 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,395 gr

2538 - Perno - Ø30 x 75 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,270 gr

2569 - Perno - Ø30,90 x 77,5 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,265 gr

2716 - Perno - Ø34,70 x 98/35 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,400 gr

2782 - Perno - Ø28 x 96/44 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,240 gr

2717 - Perno - Ø35 x 98/68 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,310 gr

2783 - Perno - Ø28 x 96/64 mm

MERITOR TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,210 gr

3501 - Perno - Ø30 x 77,30 mm

WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,225 gr

3502 - Perno - Ø30 x 91 mm

WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,295 gr

3503 - Perno - Ø37,70 x 76 mm

WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,475 gr

3504 - Perno - Ø38 x 118 mm

WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,775 gr

3505 - Perno (delikli) - Ø25 x 81 mm

WABCO TYPE Guide Pin (with Hole)



Ürün Ağırlığı/Product Weight = 0,210 gr

3506 - Perno - Ø38 x 128 mm

WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,855 gr

3507 - Perno - Ø38 x 70 mm

WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,455 gr

3508 - Perno - Ø35 x 85 mm

WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,475 gr

3509 - Perno - Ø35 x 110 mm

WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,570 gr

3510 - Perno (deliksiz) - Ø25 x 81 mm

WABCO TYPE Guide Pin (without Hole)



Ürün Ağırlığı/Product Weight = 0,200 gr

3511 - Perno - Ø38 x 63 / 118 mm

WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,660 gr

3528 - Perno - Ø37,70 x 20,70 / 76 mm


WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,470 gr

3529 - Perno - Ø38 x 63 / 118 mm


WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,660 gr

3548 - Perno - Ø38 x 48,80 / 104 mm

WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,595 gr

3607 - Perno - Ø30 x 77,3 / 17,5 mm

WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,245 gr

3608 - Perno - Ø30 x 91 / 31 mm

WABCO TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,270 gr

4501 - Perno - Ø35 x 64 mm

HALDEX TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,200 gr

4502 - Perno - Ø35 x 70 mm


HALDEX TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,247 gr

4503 - Perno - Ø35 x 64 mm

HALDEX TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,200 gr

4504 - Perno - Ø35 x 69 mm


HALDEX TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,250 gr

5 -501 Perno - Ø37 x 123 mm

B.V TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,670 gr

5-502 Perno - Ø36,40 x 70 mm

B.V TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,365 gr

5-504 Perno - Ø36,80 x 70 mm

B.V TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,365 gr

6501 - Perno - Ø35 x 118,70 mm
SAF MODUL T TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,485 gr

6502 - Perno - Ø35,50 x 86,75 mm
SAF MODUL T TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,405 gr

6570- Perno - Ø35 x 118,70 mm
SAF MODUL T TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,485 gr

6571- Perno - Ø35,50 x 86,75 mm
SAF MODUL T TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,405 gr

7500 - Perno - Ø22 x 90 mm
HYDRAULIC CALIPER TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,180 gr

7501 - Perno - Ø22 x 98 mm
HYDRAULIC CALIPER TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,200 gr

7502- Perno - Ø18 x 64 mm
HYDRAULIC CALIPER TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,090 gr

7507- Perno - Ø18 x 66 mm
HYDRAULIC CALIPER TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,090 gr

7508 - Perno - Ø18 x 66 mm

HYDRAULIC CALIPER TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,085 gr

7509 - Perno - Ø18 x 66 mm

HYDRAULIC CALIPER TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,085 gr

7510- Perno - Ø18 x 67 mm

HYDRAULIC CALIPER TYPE Guide Pin



Ürün Ağırlığı/Product Weight = 0,095 gr

7511- Perno (civata ile)

Ø18 x 63/79,50 mm

HYDRAULIC CALIPER TYPE Guide Pin (with Bolt)



Ürün Ağırlığı/Product Weight = 0,110 gr

7512- Perno (yıkayıcı ile) -

Ø20 x 71 mm

HYDRAULIC CALIPER TYPE Guide Pin (with Washer)



Ürün Ağırlığı/Product Weight = 0,110 gr

SF RULMAN MİLİ

SF BEARING SHAFT



DÜRBÜN MİLİ

BINOCULAR SHAFT



MASURA BİLYA YATAĞI PİMİ

SPOOL BEARING PIN



ÜÇGEN SOMUN

TRIANGULAR NUT



ÜÇGEN SOMUN MİLİ


TRIANGULAR NUT SHAFT



PİM ÇEŞİTLERİ

PIN TYPES



ABS MAKARASI
ABS ROLLER**YAY PİMİ KANALLI**
CHANNEL SPRING PIN**YAY PİMİ**
SPRING PIN**CİRCİR PULU**
RATCHET**KONTROL SOMUNU**
CONTROL NUT**MAKARA**
ROLLER**EMNİYET PİMİ**
SHEAR PIN**PABUÇ PERNOSU**
PIN

MAKARA PİMİ

ROLLER PIN



BURÇ ÇEŞİTLERİ

TYPES OF BUSHING



ABS KELEPÇE VİDASI

ABS CLAMP SCREW



KOPİLYA

PIN

